



Product Information

CT #417

Rubber Electrical Splicing Tape

417 is a 30 mil, black, self-fusing, low voltage rubber electrical splicing tape that resists moisture.

Meets Spec: UL 510.

Application:

- Overwrap of electrical insulation splices which require a moisture resistant tape

TECHNICAL DATA

Substrate	Rubber
------------------	--------

Thickness	30 Mils (0.9 mm)
------------------	---------------------

Tensile Strength	247 lbs/in (1.7 Mpa)
-------------------------	-------------------------

Elongation (% at Break)	300
-----------------------------------	-----

Temperature Rating	80°C
---------------------------	------

Dielectric Strength	350 V/mil
----------------------------	-----------

The data provided are nominal values based on PSTC, ASTM, and other standard tests. The data should not be considered specifications.

Carolina Tape & Supply Corporation
502 19th St PL SE, Hickory, NC 28602
Phone: 800-237-6079
www.carolinatape.com

Carolina Tape and Supply Corporation guarantees its products to be in compliance with acceptable commercial standards for material and workmanship, but limits its obligations under this warranty to replacement, or, at its option, reimbursement of the purchase price of returned merchandise shown to its satisfaction to have been defective by such standards at the time it was shipped by Carolina Tape and Supply Corporation.